


## ENGINE LIFTS – Folding Workshop Crane

SPECIFICATIONS	2Ton	
<b>WORKING HEIGHTS</b>		
Maximum Lift	2.3m	
Maximum Boom Length	1.5m	
<b>MEASUREMENTS Set Up</b>		
<b>A</b> Height Set Up	1.55m	
<b>B</b> Length Set Up	1.66m	
<b>C</b> Width Set Up	0.99m	
<b>D</b> Height of Leg Set Up	0.19m	
<b>MEASUREMENTS Stowed</b>		
<b>E</b> Height Stowed	1.60m	
<b>F</b> Length Stowed	0.54m	
<b>G</b> Width Stowed	0.62m	
<b>LOAD CAPACITY &amp; MACHINE WEIGHT</b>		
Standard Machine Weight	80kg	
Maximum Lift	2,000kg	
– 4 stage 2,000, 1,500, 1,000, 600kg		
Push around. Manual hand jack to raise.		



## SmartOne – Manual Cranes, Heavy Lift Trolleys

Here at Smart Lift we have developed a couple of options for manual, push around, lifters. Dubbed the SmartOne or the Heavy Lift Trolley, these are sturdy, stable and easily pushed around while loaded. Our counterweight system means you simply adjust the number of weights depending on what you want to lift. Speak to us today to get the best option for your needs.

The SmartOne (red) is fully collapsible so it can be transported in a van/ute and assembled on site.



## GIB Trolleys

These trolleys are designed to allow full sheets of GIB (or similar) to be moved from loading dock to internal site (not accessible by hiab or forklift)



